

**Espay Solar Energy S.L.**

# **30kW Data Center Rack for Schools**



## 30kW Data Center Rack for Schools

---



### GENESYS+(TM) Rack DC Power Systems

Browse our wide range of AC-DC, DC-DC, Programmable and High Voltage power supplies, DIN rails and EMI filters, as well as Value Add solutions.

---

### 30A/32A 30-Outlet 3-Phase Switched eco PDU

Applications The PG series 3-Phase PDUs are perfectly suited to server rack installation requiring energy-efficient power distribution to high-density IT equipment in a server room or data center.



### AI Data Center

The block diagram below represents AI data center solution recommended by onsemi. The diagram illustrates both AC-DC conversion and DC-DC power distribution stages utilized in AI data centers. ...

---

### 30kW HVDC AI Data Center

## Reference Design

This reference design is a two-stage, high-efficiency, 30kW power supply with a high voltage DC (HVDC) output. The first stage is a three-level flying capacitor power factor correction ...



### **kW per Rack Explained: Optimize Colocation Power & Costs**

Learn how kW per rack impacts colocation pricing, energy efficiency, and performance. Discover best practices to manage power, reduce costs, and future-proof your IT infrastructure.

### **Exploring Data Center Rack Density , Average kW Per Rack**

The evolution of technology has data center rack densities skyrocketing. Learn why average power consumption (kW) per data center rack has reached an all-time high.



### **SMART SOLUTIONS REFERENCE SUMMARY**

**BENEFITS** This reference design utilizes the SmartAisle approach to infrastructure design, an intelligent, row-based solution that simplifies

infrastructure design, installation and ...



## SMART SOLUTIONS REFERENCE SUMMARY

30kW (6) 42U 2000mm X 600mm X 1100mm for IT equipment (1) 42U 2000mm X 800mm X 1100mm for network equipment reliability of your data center. By integrating UPS, power

...



48V 100Ah



## 30kw/60kw/90kw Liquid Cooled Data Center Rack CDU

Product descriptions from the supplier  
Heat Exchange Capacity 30kw 60kw 90kw  
Power Supply 220V 220V 220V  
Pipeline Material SUS30408 SUS30408 SUS30408  
Primary Side Design  
Temperature ...

## Contact Us

For catalog requests, pricing, or partnerships, please visit:

<https://www.espay.es>

