

Espay Solar Energy S.L.

JinkoSolar 625w PV Panel Parameters



Overview

The JKM625N-78HL4-BDV from Jinko Solar is a Solar Panels with Output Power 625 W, Output Voltage 46.56 V, Temperature Operating Range -40 to 85 Degree C. 0 technology has better reliability and lower LID/LETID. Excellent Anti-PID performance guarantee via optimized mass-production process and materials control. Certified to. Model: 78HL4-BDV . See the table below for available information we have about Jinko Solar Co Ltd JKM625N-66HL4M-BDV-Z2 solar panels. We have an image for. Jinko 625W solar panel, which is monocrystalline, is considered to be one of the best solar modules available. Also, the Jinko 625W solar panel is a premium quality module with dimensions of 2465x1134x35 mm and an impressive module. JinKoSolar Photovoltaic Modules Installation Manual A1 JKMxxxN-54HL4R-(V) JKMxxxN-54HL4-(V) JKMxxxN-54HL4R-□ JKMxxxN-60HL4-(V) JKMxxxN-72HL4-(V) JKMxxxM-72HL4-(V) JKMxxxN-72HL4-(V)-L JKMxxxN-66HL4M-(V) JKMxxxN-54HL4R-□D JKMxxxN-72HL4-□DV JKMxxxN-72HL4-DX JKMxxxM-72HL4-DVP JKMxxxN-78HL4-□DV. N-type modules with Tunnel Oxide Passivating Contacts (TOPcon) technology offer lower LID/LeTID degradation and better low light performance. Dual-sided power generation gain increases with backside exposure to light, significantly reducing.

JinkoSolar 625w PV Panel Parameters



JKM625-650N-78HL4-BDV-F9-EN

3.0 technology offer better reliability and efficiency. Dual-sided power generation gain increases with backside exposure to light, significantly reducing LCOE. Better light trapping and current collection to improve module ...

625W Solar Panel

625W Solar Panel - Jinko Solar Features
 Short Description Model: 78HL4-BDV
 Maximum Power - Pmax [Wp]: 625
 Maximum Power Voltage - Vmp [V]:
 47.54 Maximum Power Current - Imp [A]:
 13.15 Open-circuit ...





JKM625-650N-66HL4M-BDV-Z1-EU

HOT 3.0 Technology N-type modules with JinkoSolar's HOT 3.0 technology offer better reliability and efficiency.

GENERAL INFORMATION

In most applications, JinkoSolar PV modules should be installed in a location where they can receive maximum sunlight throughout the year. In the Northern Hemisphere, the module should face south, and in the Southern ...



JKM605-625N-78HL4-BDV-F6-EN

Better light trapping and current collection to improve module power output and reliability. The N-type module with Hot 2.0 technology has better reliability and lower LID/LETID. Excellent Anti-PID performance guarantee ...

JKM625N-66HL4M-BDV-Z2 625W Solar Panel Information

See the table below for available information we have about Jinko Solar Co Ltd JKM625N-66HL4M-BDV-Z2 solar panels. We do our best to provide information such as the JKM625N-66HL4M-BDV-Z2 panel dimensions, ...



Jinko Solar Panel 625W

Monocrystalline solar panels have higher efficiency and durability. Also, the Jinko 625W solar panel is a premium quality

module with dimensions of 2465x1134x35 mm and an impressive module efficiency rate of ...



JKM625N-78HL4-BDV

The JKM625N-78HL4-BDV from Jinko Solar is a Solar Panels with Output Power 625 W, Output Voltage 46.10 V, Output Current 13.56 A, Temperature Operating Range -40 to 85 Degree C. Tags: Panel.




JKM625-650N-66HL4M-BDX-Z1C1C-OC

Note: For specific dimensions and tolerance ranges, please refer to the corresponding detailed module drawings. 2025 Jinko Solar Co., Ltd. All rights reserved.

JinKoSolar Photovoltaic Modules

Thanks for choosing JinKoSolar photovoltaic (PV) modules (hereafter referred to as "modules"). This manual provides important safety guidelines for the installation, maintenance, and use of

the modules.



Contact Us

For catalog requests, pricing, or partnerships, please visit:
<https://www.espay.es>

